Art Unit: 1762

AMENDMENTS TO THE CLAIMS:

1. (Currently Amended) A method of marking a solid article or substance, comprising the

following steps:

dissolving a water-insoluble medium in a first solvent to form a first mixture;

mixing a nucleic acid solution with an intermediate solution to form a second

mixture, the intermediate solution is a semi-polar solvent;

mixing the second mixture with the first mixture to form a homogenous third mixture;

marking the article or substance with the third mixture containing said nucleic acid;

and

drying the labeled marked article or substance;

wherein the water-insoluble medium is an inert medium and is not deteriorative to the

article or substance, and wherein the intermediate solution increases the miscibility

between the first mixture and the second mixture.

2. (Currently Amended) The method as claimed in claim 1, wherein the water insoluble

medium is a polymeric substance. A method of marking a solid article or substance,

comprising the following steps:

dissolving a water-insoluble medium in a first solvent to form a first mixture, the

water-insoluble medium is a polymeric substance;

mixing a nucleic acid solution with an intermediate solution to form a second mixture;

mixing the second mixture with the first mixture to form a homogenous third mixture;

marking the article or substance with the third mixture; and

drying the marked article or substance;

6

Art Unit: 1762

wherein the water-insoluble medium is an inert medium not deteriorative to the article

or substance, and the intermediate solution increases the miscibility between the first

mixture and the second mixture.

3. (Original) The method as claimed in claim 2, wherein the polymeric substance is

selected from a group consisting of polycarbonate (PC), polymethyl methacrylate

(PMMA), polystyrene (PS), and polypropylene (PP).

4. (Original) The method as claimed in claim 1, wherein the first solvent is a non-polar

solvent.

5. (Original) The method as claimed in claim 4, wherein the non-polar solvent is selected

from a group consisting of chloroform, dichloromethane, xylene and toluene.

6. (Cancelled)

7. (Currently Amended) The method as claimed in claim [[6]] 1, wherein the

intermediate solution is selected from a group consisting of methanol, ethanol,

acetone, glycerol and their mixture.

8. (Currently Amended) The method as claimed in claim 1, wherein the nucleic acid in

the nucleic acid solution is selected from a group consisting of a natural and a

synthetic nucleic acid.

9. (Original) The method as claimed in claim 8, wherein the synthetic nucleic acid is a

synthetic vector.

10. (Original) The method as claimed in claim 8, wherein the synthetic nucleic acid is a

nucleic acid fragment.

7

Art Unit: 1762

11. (Original) A method of marking a water insoluble liquid, comprising the following

steps:

dissolving a nucleic acid in a aqueous solution to form a first mixture;

mixing the first mixture with an intermediate solution to form a second mixture;

mixing the second mixture with a water insoluble solvent to form a homogenous third

mixture: and

mixing and marking the liquid with the third mixture;

wherein the intermediate solution increases the miscibility between the second

mixture and the water insoluble solvent.

12. (Original) The method as claimed in claim 11, wherein the water insoluble solvent is

a non-polar solvent.

13. (Original) The method as claimed in claim 12, wherein the non-polar solvent is

selected from a group consisting of chloroform, dichloromethane, xylene and toluene.

14. (Original) The method as claimed in claim 11, wherein the intermediate solution is a

semi-polar solvent.

15. (Original) The method as claimed in claim 14, wherein the intermediate solution is

selected from a group consisting of methanol, ethanol, acetone, glycerol and their

mixture.

16. (Original) The method as claimed in claim 11, wherein the nucleic acid is selected

from a group consisting of a natural and a synthetic nucleic acid.

8

Art Unit: 1762

17. (Original) The method as claimed in claim 16, wherein the synthetic nucleic acid comprises a synthetic vector.

18. (Original) The method as claimed in claim 16, wherein the synthetic nucleic acid comprises a nucleic acid fragment.